


 **BVLASER**



EPILITE PLUS

DIODE LASER





SOFTWARE INTERFACE





TREATMENT HANDLE

Two kinds of handles are optional
Handle with screen with fixed spot
size: 12*20mm



TREATMENT HANDLE



Handle with replaceable spot size:
five spot treatment heads
20*40mm, 12*20mm, 10*10mm, 5*5mm,
Ø8 nose hair removal



5 X 5



Ø 8



10 X 10



12 X 20




20 X 40



TREATMENT HANDLE

Collimating lens incorporated in handle,
smaller divergence angle,
better penetration, better result

USA Coherent laser bar, stable
laser output, longer life time



FEATURES



Self-developed laser power supply, smaller size, better stability
Water quality, water flow, water temperature monitoring system

Japan high quality key switch & medical grade pedal
(with protective cover - to prevent accidental trigger)

Rotary handle socket, easy connect,
easy lock, avoid the failure caused
by the bad connector,
more convenient to use



BEFORE & AFTER



SPECIFICATION

Wavelength	808nm or 755nm+808nm+1064nm
Laser Power	600W - 3000W
Pulse Width	5-400ms
Frequency	1-10Hz
Spot size	20*40,12*20,10*10,5*5,Φ8mm
Energy Fluence	0- 120J/cm ²
Cooling System	TEC + water + fan + Sapphire contacting cooling
Voltage	220V/50Hz, 110V/60Hz
Warranty	2 years (including handpiece)

